

Product Name/Code	Product description/Description del prodotto	Language/Idioma	Code/Idioma
SACCO	BREXIL MULTI 5 LB USA/CANADA	EN	4144774F07P1S9 03
Technical file/ Scheda tecnica		Character code/ Carattere	
STF_PPCEXPETMETPE - TRIPLEX 70		TRANSAT	---
Dimensions/Dimensioni	Plant code/Code pianta	Color 1/ Colore 1	Color 2/ Colore 2
707x340	4	K	P.2062 P.199
Color 3/ Colore 3	Color 4/ Colore 4	Color 5/ Colore 5	Color 6/ Colore 6
-	-	-	-

**BREXIL MULTI | Valagro**

FO02574

# BREXIL MULTI

**5Lb** NET WEIGHT (2.3 Kg)

**SOLUBLE MICROGRANULES**

**GUARANTEED ANALYSIS**

Magnesium (Mg)	5.0%
Boron (B)	0.5%
Iron (Fe)	4.0%
Manganese (Mn)	4.0%
Zinc (Zn)	1.5%

Derived From: Iron lignin sulfonate, Zinc lignin sulfonate, Manganese lignin sulfonate, Magnesium lignin sulfonate, Boron Ethanolamine

**GENERAL INFORMATION**

BREXIL MULTI is a micronutrient and secondary nutrient based product designed to treat and prevent micronutrient and secondary nutrient deficiencies in all crops. The lignin sulfonate (LS) in BREXIL MULTI allows for increased availability of the nutrients to the plant. BREXIL MULTI is a microgranule product that is completely water soluble. BREXIL MULTI is only recommended as a supplement to a well balanced fertilizer program.

**NOTICE:** this product contains boron (B) and may be harmful to certain crops. Use only according to manufacturer's directions. A compatibility jar test must be performed before mixing BREXIL MULTI with products containing Calcium and phosphate containing fertilizer. DO NOT treat peaches, apricots and kiwis after fruit has reached half of its expected size. Some crops may be injured by the application of boron.

**KEEP OUT OF REACH OF CHILDREN**

**CLEANING OF SPRAYER**

Flush with clean water all parts of the sprayer including the pump, hoses and nozzles several times prior to and after the use of this product.

**CONDITIONS OF SALE**

Seller warrants this product consists of the ingredients specified and is reasonably fit for the purpose stated on this label when used in accordance with direction under normal condition and use. No one other than an officer of the seller is authorized to make any warranty, guaranty or direction concerning this product. Because time, place, rate of application and other conditions of use are beyond the seller's control, the seller's liability from handling, storage, and use of this product is limited to replacement of the product or a refund of the purchase price. It is impossible to eliminate all risks associated with the use of this product. Crop injury, lack of performance, all other unintended consequences may result because of such factors as use of the product contrary to label instruction, abnormal conditions, presence of other materials, the manner of application, or other factors, all of which are beyond the control of Valagro USA or the seller. All such risks shall be assumed by buyer.

**FOLIAR APPLICATION**



**BREXIL MULTI | Valagro**

## BREXIL MULTI

4144774F07P1S9 03

**FIELD APPLICATION INSTRUCTIONS, FOLIAR RATES**

CROP	RATE	APPLICATION TIMING/COMMENTS
<b>Vegetable crops</b> Including but not limited to: pepper, eggplant, zucchini, melon, water melon, cucumber, tomato, cole crops, leafy vegetables	Maintenance: 16 oz/acre Deficiency symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear
<b>Fruit crops</b> Including but not limited to: apples, cherries, citrus, pear, stone fruit, kiwi, rasins, table and wine grapes, berry crops such as blueberries, cranberries and strawberries, etc.	Maintenance: 16 oz/acre Deficiency symptoms: Apples and pears: 32-40 oz/acre; Stone Fruit: 28-40 oz/acre; Citrus and grapes: 32-40 oz/acre; Berries: 24-32 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear
<b>Nut crops</b> Including but not limited to: almond, pecan, pistachio, walnut, etc.	Maintenance: 16 oz/acre Deficiency symptoms: 28-40 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear
<b>Field crops</b> Including but not limited to: corn, cotton, peanuts, potatoes, rice, sorghums, sorghum, sugar beets, sugar cane, wheat, etc.	Maintenance: 8 oz/acre Deficiency symptoms: 16 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear
<b>Forage crops</b> Including but not limited to: alfalfa, timothy, fescua, etc.	Maintenance: 8 oz/acre Deficiency symptoms: 16 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear
<b>Ornamentals</b>	Maintenance: 16 oz/acre Deficiency symptoms: 24-32 oz/acre	Apply every 14-21 days intervals until deficiency symptoms disappear
<b>Turf</b>	1-3 oz/1000 sq ft	Apply every 14-21 days intervals until deficiency symptoms disappear
<b>Greenhouse</b>	Not more than 10 oz/25 Gal of water	
<b>Low volume spray (25 GPA)</b>	Not more than 16 oz/acre	

**SPRAY VOLUMES:** The standard spray volume on horticultural crops is 50 gallons per acre (GPA). For spray volumes 5-20 GPA, use no more than 18 lbs/acre. For spray volumes less than 5 GPA, use no more than 1/3 lb/acre. In Greenhouse applications, DO NOT apply more than 10 oz/25 gallons of spray.  
**STORAGE INSTRUCTION:** Keep the product sheltered from the sun and in a dry warehouse. Once open, completely use the contents of the bag.  
**DIRECTIONS FOR MIXING:** BREXIL MULTI is a soluble product to be mixed with water. Select a water volume and corresponding rate of BREXIL MULTI necessary to thoroughly spray/mist all fruit and foliage surfaces. Gradually add the recommended amount of product to a half filled spray tank and mix, then add the balance of required water while continuing to agitate the solution.

**BREXIL MULTI**

**Danger**  
Causes skin irritation. Causes serious eye damage. May cause damage to brain through prolonged or repeated exposure per inhalation. Wear protective gloves, safety goggles and face shield. Wash hands thoroughly after handling. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor. If on skin: Wash with plenty of water and soap. Specific treatment (see First Aid on this label). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Do not breathe dust/fume/gas/mist/vapor/spray. Get medical advice/attention if you feel unwell. Dispose of contents/container in accordance with local/regional/national/international regulations. First Aid: As a general rule, in case of doubt or if symptoms persist, always call a doctor. Inhalation: Remove to fresh air. Get medical attention for any breathing difficulty. Eye Contact: Rinse cautiously with water for several minutes holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or physician. Ingestion: Rinse mouth with water. Induce vomiting only if indicated by the doctor. Skin Contact: Remove all contaminated clothing. Rinse with plenty of soap and water. Codes see code on the package. Lot number: see print on package.  
Distributed and guaranteed by **Valagro USA Inc.**, 2000 Ponce de Leon Blvd, Ste. 1003 Coral Gables, FL 33134 - Phone: +1-786-230-0207 / +1-786-230-0200 / +1-786-475-9032

**DO NOT SELL UNPACKED**

Information regarding the contents and levels of metals in this product is available on the internet at [www.usgfc.org/metals.html](http://www.usgfc.org/metals.html)  
Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn/garden, and sweep any product that lands on the driveway, sidewalk, or street, back onto your lawn/garden.

Distributed and guaranteed by **Valagro USA Inc.**, 2000 Ponce de Leon Blvd, Ste. 1003 Coral Gables, FL 33134  
Phone: +1-786-230-0207 / +1-786-230-0200 / Fax: +1-786-475-9032

NET WEIGHT 5 lb (2.3 kg)



[syngentabiologicals.com](http://syngentabiologicals.com)



8 031702 018934