

# ISOPROPYL ALCOHOL 70%

## DANGER!

### HAZARD STATEMENT

Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

### PRECAUTIONARY STATEMENT

#### PREVENTION

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

#### RESPONSE

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

#### STORAGE

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

#### DISPOSAL

Dispose of contents/container in accordance with local/regional/national/international regulations.



### SUPPLEMENTAL INFORMATION

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

Usage: Keep container tightly closed. Closures must be retained and tight for returning. Flammables and Combustibles: Ground and bond to certified grounding system, and use spark proof tools.

Empty containers: Do not use container for any other purpose. Containers retain hazardous materials; Follow all safety requirements as if full. Do not cut, braze, or weld on or near this container.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. Additional information is given in the Safety Data Sheet.

California SCAQMD Rule 443.1 VOC'S:  
VOC: 70.00%

### CALIFORNIA PROPOSITION 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Read and understand the Safety Data Sheet for this product before handling

UN 1219

ISOPROPANOL SOLUTION ; 3; PGII

Net Wt. 36.54 LB 14.97 KG



## MORR, Inc.

8500 Flotilla Street  
Commerce, CA 90040  
office@MORR.com  
855-TRY-MORR  
www.MORR.com

CHEMTREC 24 Hr. Emergency Phone:  
(800) 424-9300



HEALTH	2
FLAMMABILITY	3
REACTIVITY	0
PERSONAL PROTECTION	



# NKH047

KHEMICAL ISOPROPYL ALCOHOL TECHNICAL  
GRADE 70% - 5 GALLON - (16/PLT)

Contents Made In: USA

# ISOPROPYL ALCOHOL 70%

## DANGER!

### HAZARD STATEMENT

Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

### PRECAUTIONARY STATEMENT

#### PREVENTION

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist/vapors. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

#### RESPONSE

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.

#### STORAGE

Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.

#### DISPOSAL

Dispose of contents/container in accordance with local/regional/national/international regulations.



### SUPPLEMENTAL INFORMATION

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and vapor. May cause flash fire or explosion.

Usage: Keep container tightly closed. Closures must be retained and tight for returning. Flammables and Combustibles: Ground and bond to certified grounding system, and use spark proof tools.

Empty containers: Do not use container for any other purpose. Containers retain hazardous materials; Follow all safety requirements as if full. Do not cut, braze, or weld on or near this container.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. Additional information is given in the Safety Data Sheet.

California SCAQMD Rule 443.1 VOC'S:  
VOC: 70.00%

### CALIFORNIA PROPOSITION 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Read and understand the Safety Data Sheet for this product before handling

UN 1219

ISOPROPANOL SOLUTION ; 3; PGII

Net Wt. 36.54 LB 14.97 KG



## MORR, Inc.

8500 Flotilla Street  
Commerce, CA 90040  
office@MORR.com  
855-TRY-MORR  
www.MORR.com

CHEMTREC 24 Hr. Emergency Phone:  
(800) 424-9300



HEALTH	2
FLAMMABILITY	3
REACTIVITY	0
PERSONAL PROTECTION	



# NKH048

KHEMICAL ISOPROPYL ALCOHOL TECHNICAL  
GRADE 70% - 55 Gallon Drum

Contents Made In: USA